JOURNAL OF CHROMATOGRAPHY A

VOL. 757, NOS. 1 + 2 3 JANUARY 1997

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

Publisher's note 1

REGULAR PAPERS

Column Liquid Chromatography

Stationary phases with chemically bonded fluorene ligands: A new approach for environmental analysis of π-electron containing solutes
by R. Brindle and K. Albert (Tübingen, Germany) (Received 1 August 1996) 3

Optimization of end-capping of octadecyl-silylated silica gels by high-temperature silylation
by Y. Sudo (Tokyo, Japan) (Received 30 July 1996) 21

Temperature dependence of carotenoids on C_{18}, C_{30} and C_{34} bonded stationary phases
by C.M. Bell, L.C. Sander and S.A. Wise (Gaithersburg, MD, USA) (Received 23 June 1996) 29

Direct purification of lysozyme using continuous counter-current expanded bed adsorption
by R.O. Owen and H.A. Chase (Cambridge, UK) (Received 23 July 1996) 41

Determination of Staphylococcal Enterotoxin B by on-line (micro) liquid chromatography–electrospray mass spectrometry
by C.E. Kientz, A.G. Hulst and E.R.J. Wils (Rijswijk, The Netherlands) (Received 31 July 1996) 51

Chiral separations of β-blocking drug substances using the Pirkle-type α-Burke 1 chiral stationary phase
by P.V. Petersen, J. Ekelund, L. Olsen and S.V. Ovesen (Brønshøj, Denmark) (Received 11 June 1996) 65

Enantiomeric separation of diols and β-amino alcohols by chiral stationary phase derived from (*R,R*)-tartramide
by Y. Machida, H. Nishi, K. Nakamura, H. Nakai and T. Sato (Osaka, Japan) (Received 11 July 1996) 73

Analysis of lignan constituents from *Schisandra chinensis* by liquid chromatography–electrospray mass spectrometry
by X.-g. He, L.-z. Lian and L.-z. Lin (Eugene, OR, USA) (Received 24 July 1996) 81

Isocratic non-aqueous reversed-phase high-performance liquid chromatographic separation of capsanthin and capsorubin in red peppers (*Capsicum annuum* L.), paprika and oleoresin
by M. Weissenberg, I. Schaeffler, E. Menagem, M. Barzilai and A. Levy (Bet Dagan, Israel) (Received 29 July 1996) 89

Gas Chromatography

Theoretical and practical aspects of flow control in programmed-temperature gas chromatography
by F.R. Gonzalez and A.M. Nardillo (La Plata, Argentina) (Received 16 July 1996) 97

Retention in multistep programmed-temperature gas chromatography and flow control. Linear head pressure programs
by F.R. Gonzalez and A.M. Nardillo (La Plata, Argentina) (Received 1 August 1996) 109

Approach to the thermodynamics of enantiomer separation by gas chromatography. Enantioselectivity between the chiral inhalation anesthetics enflurane, isoflurane and desflurane and a diluted γ-cyclodextrin derivative
by V. Schurig and M. Juza (Tübingen, Germany) (Received 24 July 1996) 119

Chemically bonded chelates as selective complexing sorbents for gas chromatography v. Silica chemically modified by Cu(II) complexes via amino groups
by W. Wasiak and W. Urbaniak (Poznań, Poland) (Received 23 July 1996) 137

(Continued overleaf)

Contents (continued)

Clean-up procedures for the unbiased estimation of C_{37} alkenone sea surface temperatures and terrigenous *n*-alkane inputs in paleoceanography
by J. Villanueva, C. Pelejero and J.O. Grimalt (Barcelona, Spain) (Received 19 July 1996) 145

Phenol and methylphenol isomers determination in soils by in-situ microwave-assisted extraction and derivatisation
by M.P. Llompart, R.A. Lorenzo and R. Cela (Santiago de Compostela, Spain) and J.R. Jocelyn Paré, J.M.R. Bélanger and K. Li (Ottawa, Canada) (Received 31 July 1996) 153

Trace enrichment of phenols by on-line solid-phase extraction and gas chromatographic determination
by M.A. Crespín, E. Ballesteros, M. Gallego and M. Valcárcel (Córdoba, Spain) (Received 31 July 1996) 165

Application of solid-phase microextraction to the headspace gas chromatographic analysis of semi-volatile organochlorine contaminants in aqueous matrices
by B. Denis Page and G. Lacroix (Ottawa, Ont. K1A 0L2, Canada) (Received 5 August 1996) 173

Supercritical Fluid Chromatography

Chemiluminescence nitrogen detection for packed-column supercritical fluid chromatography with methanol modified carbon dioxide
by H. Shi and L.T. Taylor (Blacksburg, VA, USA) and E.M. Fujinari (Houston, TX, USA) (Received 22 July 1996) 183

Electrophoresis

Continuous-flow electrophoresis in the Taylor regime: a new possibility for preparative electrophoresis
by M.J. Clifton (Toulouse, France) (Received 19 June 1996) 193

Determination of chlorophenols by micellar electrokinetic chromatography with electrochemical detection
by M. van Bruijnsvoort, S.K. Sanghi, H. Poppe and W.Th. Kok (Amsterdam, Netherlands) (Received 22 July 1996) 203

Capillary zone electrophoresis of oligosaccharides derivatized with N-(4-aminobenzoyl)-L-glutamic acid for ultraviolet absorbance detection
by J. Plocek and M.V. Novotny (Bloomington, IN, USA) 215

Separation of enantiomers and isomers of amino compounds by capillary electrophoresis and high-performance liquid chromatography utilizing crown ethers
by H. Nishi, K. Nakamura, H. Nakai and T. Sato (Osaka, Japan) (Received 29 July 1996) 225

Capillary isoelectric focusing: the problem of protein solubility
by M. Conti, M. Galassi, A. Bossi and P.G. Righetti (Arcavacata di Rende, Italy) (Received 30 July 1996) 237

Development of a high-performance capillary isoelectric focusing technique with application to studies of microheterogeneity in chicken conalbumin
by T.-L. Huang (Fullerton, CA, USA) and M. Richards (Beltsville, MD, USA) (Received 2 August 1996) 247

Capillary electrophoretic separation of acidic and basic proteins in the presence of cationic and anionic fluorosurfactants
by E.L. Hult, Å. Emmer and J. Roeraade (Stockholm, Sweden) (Received 3 July 1996) 255

Capillary electrophoresis of herbicides. II. Evaluation of alkylglucoside chiral surfactants in the enantiomeric separation of phenoxy acid herbicides
by Y. Mechref and Z. El Rassi (Stillwater, OK, USA) (Received 6 August 1996) 263

Analysis of cationic surfactants by capillary electrophoresis
by E. Piera, P. Erra and M.R. Infante (Barcelona, Spain) (Received 31 July 1996) 275

Large-volume stacking for quantitative analysis of anions in capillary electrophoresis. I. Large-volume stacking with polarity switching
by M. Albert (Vernaison, France) and L. Debusschere, C. Demesmay and J.L. Rocca (Villeurbanne, France) (Received 5 September 1996) 281

Large-volume stacking for quantitative analysis of anions in capillary electrophoresis. II. Large-volume stacking without polarity switching
by M. Albert (Vernaison, France) and L. Debusschere, C. Demesmay and J.L. Rocca (Villeurbanne, France) (Received 24 June 1996) 291

Trace determination of iron in water at the μg/l level by on-line coupling of capillary isotachophoresis and capillary zone electrophoresis with UV detection of the EDTA–Fe(III) complex
by P. Blatný and F. Kvasnička (Prague, Czech Republic) and E. Kenndler (Vienna, Austria) (Received 30 July 1996) 297

Contents (continued)

SHORT COMMUNICATIONS

Column Liquid Chromatography

Quantitative determination of protolichesterinic- and fumarprotocetraric acids in *Cetraria islandica* by high-performance liquid chromatography
by G.A. Gudjónsdóttir and K. Ingólfsdóttir (Reykjavík, Iceland) (Received 26 June 1996) 303

Quantitative evaluation of carbon isotopic fractionation during reversed-phase high-performance liquid chromatography
by R.J. Caimi and J.T. Brenna (Ithaca, NY, USA) (Received 30 July 1996) 307

Determination of biogenic amines in wines by high-performance liquid chromatography with on-column fluorescence derivatization
by O. Busto, M. Miracle, J. Guasch and F. Borrull (Tarragona, Spain) (Received 29 July 1996) 311

Gas Chromatography

Measurement of trace phosphorus in dichlorosilane by high-temperature hydrogen reduction gas chromatography
by W. Ruimei and L. Junwu (Beijing, China), Z. Shujun (Luo Yang, China) and Z. Zhenhuan (Beijing, China) (Received 16 July 1996) 319

Electrophoresis

Development of the isotachophoretic method for determinaton of aldonic acids produced after alkaline oxidation of hexoses with palladium(II) chloride
by L. Petrushevska-Tozi, T. Ristov and Z. Kavrakovski (Skopje, Macedonia) (Received 1 August 1996) 324

Enantiomeric separations of primary amino compounds by non-aqueous capillary zone electrophoresis with a chiral crown ether
by Y. Mori, K. Ueno and T. Umeda (Osaka, Japan) (Received 29 July 1996) 328

AUTHOR INDEX VOL. 757 334

The table of contents of *Journal of Chromatography* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc